

**1.4 Supplier Information** 

David Weber Oil Company 601 Industrial Road

Carlstadt, NJ 07072

Fax:

Phone: 201-438-7333

201-438-3178 Email: sales@weberoil.com

Section 1

**Identification** 

**1.1 Product Identifiers** 

**Product Name** 

: GIBRALTAR GEAR OIL EP

**1.2 Product usage** 

**Recommended Usage** : Lubricating Oil Restricted Usage : Not intended for any other usage

**1.3 Emergency support** 

**Emergency Support** : CHEMTREC United States +1(800) 424-9300 International +01(703) 527-3887

# Section 2- Composition/ Information on Ingredients

2.1 Classification of Substance Mixture

: No Classified Hazards GHS Rating(s) Signal Word : Not Applicable

2.2 Label Elements		No classified Hazards	
Precautionary:	P201	Obtain Special Instructions Before Use.	
Response:	P202 P308	Do Not Handle Until All Safety Precautions Are Understood. Use Personal Protective equipment If Exposed Or Concerned: Get Medical Advice/attention.	
Storage:	P405	Store Locked Up.	
Disposal:	P501	Dispose of container according to regional regulations	

2.3 Other Hazards

Hazards not otherwise : Avoid prolonged or repeated contact with motor oil. Use of good hygiene practices will reduce Classified (HNOC) the likelihood of potential health effects. When exposed wash areas with soap and water and lauder contaminated clothing.

#### 3.1 Substance details

Chemical Name		CAS#	%Weight
BASE OIL SEVERELY REFINED		64741-88-4 64742-54-7	>95
1-Propene, 2-methyl-, sulfurized		64742-01-4 68511-50-2	1-2
Phosphonic acid, di-9-octadecenyl ester	H315, H320	64051-29-2	<1
INERT The remaining percentage are not lister	d as Physical or Health I	Hazards (29 CFR 1910.1200)	25.0

Products containing mineral oil with less than 3% DMSO extract as measured by IP-346.

# Section 4 – First aid Measures

4.1 First aid measures	
Eye Contact	: Immediately flush eyes with plenty of water occasionally lifting the upper and lower eyelids. Check and remove any contact lenses. Continue to rinse for at least 20 minutes. Get Medical Attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth to mouth resuscitation. Maintain an open airway. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
4.2 Symptoms & Effects	5
To Physician Specific Treatment	: Treat symptomatically. Contact poison specialist if product has been ingested. : No specific Treatment.
4.3 Medical attention	
Protection of first Aiders Note to Doctor	<ul> <li>No action should be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.</li> <li>Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.</li> </ul>

# Section 5 – Fire Fighting

#### 5.1 Extinguishing Media

Suitable Media Unsuitable Media Specific hazards Arising from this product : CO2, Dry chemical, or Foam. Water can be used to cool and protect product. Do not use water jet as an extinguisher, it will spread the fire.

: When heated, hazardous gases may be released including: sulfur dioxide. A solid stream of water will spread the burning material. Material creates a special hazard because it floats on water This material creates a special hazard because it floats on water. This material is harmful to aquatic life. Any fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**5.2 Firefighters Advice** 

# Special protective equipment

: Fire Equipment Information: Fire-fighters should wear appropriate protective equipment and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6 - Accidental Release Measures

#### 6.1 Personal precautions, protective equipment

**General Measures** : No health affects expect from the cleanup of this material if contact can be avoided. Follow personal protect equipment recommendations found in section 8 of this SDS.

6.2 Environmental Precautions

Non-Emergency Personnel : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform authorities if the product has caused environmental pollution Water Polluting Material may be harmful to the environment if released in large quantities.

#### 6.3 Materials & Methods to Contain and Cleanup

**Reference Section 8** : Follow all protective equipment recommendations provided in Section 8.

- **Spill Control Measures** : Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.
- **Containment and Cleanup :** Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via licensed waste disposal contractor. Contaminated absorbent material may pose the same threat hazard as the spilled product.

#### 7.1 Safe Handling

**Personal Protective Equipment** : Put on appropriate personal protective equipment (see section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, keep lid tightly closed when not in use. Empty containers that retain product residue and can be hazardous. Do not reuse container.

#### 7.2 Safe Storage

**Required conditions** : Odorous and toxic fumes may form from the decomposition of this product if stored at temperatures in excess of 113 deg F (45 deg C) for extended periods of time or if heat sources in excess of 250 deg F (121 deg C) are used. Store away from incompatible materials. See section 10 for incompatible materials.

7.3 Specific End Use

8.2 Exposure Controls

**Designed Purpose** 

: This product is designed for use as a Engine Oil.

Section 8 - Exposure Control

8.1 United States Exposure Limits Chemical Name	Occupational Exposure Limits	Value
Distillates, petroleum, hydro treated heavy paraffinic	OSHA - PEL ACGIH - 40 TWA	5mg/m3

Engineering Controls	: Material should be handled in enclosed vessels and equipment, in which case general room ventilation should be sufficient. Local exhaust ventilation should be used at points where dust, mist, vapors or gases can escape into the room air. No special requirements under ordinary conditions of use and with adequate ventilation.
<b>Environmental Exposure</b>	: General room ventilation should be satisfactory. Local exhaust ventilation may be necessary if
Control	misting is generated.
Hygiene Measures	: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Eye / Face Protection	: If contact is likely, safety glasses with side shields are recommended.
Skin / Hand Protection	: Butyl rubber. Use nitrile or neoprene gloves. Use good industrial hygiene practices. In case of skin contact, wash hands and arms with soap and water. Use caution when opening manway covers of storage and transportation containers. 3-nitroaniline crystals may be present on the interior surface of these openings. 3-nitroaniline is toxic by dermal exposure.
Respiratory Protection	: Use a properly fitted air purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this a necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

#### 9.1 Information On Basic Physical and Chemical Properties

Dhueical state	. Liouid
Physical state	: Liquid
Color	:B&C
Odor	: Characteristic of Petroleum
Odor threshold	: No Data Available
рН	: No Data Available
Freezing Point	: No Data Available
Boiling Point / Range	: No Data Available
Flash Point COC	:221C
Evaporation rate:	: No Data Available
Upper Explosive Limits (% air)	: No Data Available
Lower Explosive Limits (% air)	: No Data Available
Flammability (solid, gas)	: Not Applicable
Vapor pressure	: <1 mm Hg
Vapor density (air=1)	: >1
Relative Density	: 0.87
Auto-ignition temperature	: Not Determined
Decomposition temperature	: Not Determined
Solubility in water	: Negligible, 0-1%
Partition coefficient, n-octanol/water	: No Data Available

#### Section 10 - Stability & Reactivity

10.1 Material Analysis

Reactivity Chemical stability Possibility of hazardous reactions

10.2 Environmental

**Conditions to avoid** 

Incompatible materials Hazardous decomposition products

- : No Data Available.
- : Stable Under Normal Circumstances.
- : Hazardous polymerization will not occur.

: Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).

: Strong oxidizing agents.

: Carbon monoxide, smoke carbon monoxide, sulfur oxides, aldehydes, and other petroleum decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus, calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.

#### 11.1 Toxicological Effects

Ingestion Toxicity Skin Contact	<ul> <li>No hazard in normal industrial use.</li> <li>This material is likely to be slightly irritating to skin based on animal data.</li> <li>Can cause minor skin irritation, defatting, and dermatitis. Likely to be practically non-toxic based on animal data.</li> </ul>	
Inhalation Toxicity Eye Contact	<ul> <li>Non-hazardous under Respiratory sensitization category.</li> <li>The material is likely to be moderately irritating to eyes based on animal data. No hazard in normal industrial use.</li> </ul>	

## Section 11- Toxicological Information Continued

Sensitizer Mutagenicity	<ul> <li>No data available to indicate product or components may be a skin sensitizer.</li> <li>No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.</li> </ul>
Carcinogenicity	: Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
Reproductive and	: No data available to indicate product or any components present at greater than 0.1%
Developmental Toxicity	may cause birth defects.
Specific target organ toxicity (single exposure) Specific target organ toxicity	: Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category. : Non-hazardous under Specific Target Organ Systemic Toxicity Repeated
(repeated exposure)	Exposure category.

## Section 12 - Ecological Information

#### **12.1 Aquatic Toxicity**

Acute Aquatic ecotoxicity Chronic Aquatic ecotoxicity Persistence and degradability Bioaccumulative potential Mobility in soil Results of PBT and vPvB assessment Other adverse effects

- : Non-hazardous under Aquatic Acute Environment category.
- : Non-hazardous under Aquatic Chronic Environment category.
- : Biodegrades slowly.
- : Bioconcentration may occur.
- : This material is expected to have essentially no mobility in soil.
- : Not determined.
- : No data available.

#### 13.1 Waste treatment

Waste treatment methods Disposal Methods Waste Disposal : Dispose of according to Federal, State, Local, or Provincial regulations.

- : Recycle used oil.
- : Spent or discarded material is non-hazardous according to environmental regulations.

Contaminated packaging

: Recycle containers whenever possible!

#### Section – 14 Transportation Information

# 14.1 U.S. Department of Transportation (DOT) Shipping Description : If shipped by land in a packaging having a capacity of 3,500 gallons or more, the provisions of 49 CFR, Part 130 apply. (Contains oil) International Maritime Dangerous Goods (IMDG) DOT Compliance Note : U.S. DOT compliance requirements may apply. See 49 CFR 171.22, 23 & 25. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable International Civil Aviation Org. / International Air Transport Assoc. (ICAO/IATA) DOT Compliance Requirement : U.S. DOT compliance requirements may apply. See 49 CFR 171.22, 23 & 24

#### Section 15 - Regulatory Information **Chemical List Status Regulatory Agency** (TSCA) Toxic : All components are either listed or not regulated US TSCA Inventory. 64742-65-0 WHMIS Hazard Class : None 64742-88-4 64742-01-4 : This product has been classified in accordance with the hazard criteria Controlled Products Regulations Canada CPR (CPR) and the SDS contains all the information required by the Regulations. **CERCLA Sections** 302, 313, 372 :This material does not contain reportable chemicals. : Acute Health Hazard 311, 312 Pressure Hazard No Fire Hazard No No Chronic Health Hazard **Reactive Hazard** No No : This material does not contain reportable chemicals. New Jersey Right to Know (NJ RTK) Massachusetts Right : This material does not contain reportable chemicals. to Know (MA RTK) Pennsvlvania : This material does not contain reportable chemicals. **Right to Know (PA RTK** Rhode Island : This material does not contain reportable chemicals. Right to Know (RI RTK)

ACGIH CFR DOT	American Conference of Governmental Industrial Hygienists Code of Federal Regulations United States Department of Transportation	NFPA:	HEALTH FLAMMABILITY INSTABILITY	0 1 0
GHS OSHA PEL	Globally Harmonized System of Classification and Labeling of Chemicals Occupational Safety and Health Administration Permissible Exposure Limit	5	SPECIAL	-
RTK SARA	Right-to-Know Short-term Exposure Limit			
TSCA WHMIS	Toxic Substances Control Act Workplace Hazardous Materials Information System			

**Disclaimer:** This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness.

Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.