



PRODUCT DATA SHEET

DAVID WEBER OIL CO.

601 Industrial Road · Carlstadt, NJ 07072 | 201.438.7333 phone | 201.438.3178 fax

www.weberoil.com

GIBALTAR POWERFLO SYNTHETIC BLEND

GIBALTAR POWERFLO SYNTHETIC BLEND engine oils are specially formulated using are specially formulated using synthetic and Group II base oils and high performance additive packages to provide superior performance in gasoline fueled and flex-fueled engines. These oils are formulated for excellent oxidation stability and low temperature properties to insure protection during cold starts.

GIBALTAR POWERFLO SYNTHETIC BLEND engine oils exceed the requirements of ILSAC GF-5 and are "Resource Conserving" for improved fuel economy.

SPECIFICATIONS

API SN Plus
ILSAC GF-5
Ford WSS-M2C-945-A (SAE 5W/20)
Ford WSS-M2C 946-A (SAE 5W/30)
GM 6094M
Chrysler MS06395

TYPICAL INSPECTIONS

| SAE Grade | 5W-20 | 5W-30 | 10W-30 |
|------------------------|------------|------------|------------|
| Density | 7.16 | 7.17 | 7.20 |
| Viscosity, cSt @100°C | 8.5 | 10.8 | 10.4 |
| Viscosity, CCS, cP @°C | 6200 (-30) | 6000 (-30) | 6000 (-25) |
| Viscosity Index | 150 | 160 | 140 |
| Flash Point, PMCC °C | 230 | 230 | 230 |
| Pour Point, °C | -41 | -41 | -32 |
| Zinc, Wt (%) | 0.085 | 0.085 | 0.085 |
| Phosphorus, Wt (%) | 0.077 | 0.077 | 0.077 |
| NOACK, Wt (%) | 14.5 | 14.5 | 14.5 |
| HT/HS, cP @ 150°C | 2.6 | 3.0 | 3.0 |